



Standard Reporting Template

INSTRUCTIONS: Please complete this form in its entirety. Providing only a reference publication will not be accepted.

Date:	08/04/	2015									
Labora	tory Na	ame:	DRA lab								
Your N	ame:	Luke Hu	tchinson and Lamb	ert Montava	9						
ls testii	ng ong	oing su	ich that you a	re waiting	g for fu	ture ble	eds?:	□ Yes	\boxtimes N	No	
Antibo	dy Nan	ne: G	ST-USP30 S746D D	U-36243							
Full An	tigen N	lame:	UBIQUITIN SPEC	IFIC PROTEAS	SE (USP) 3	0					
Full An	tigen S	equen	ce (please inclua	le full amino	o acid se	quence):					
KRRK LHLL PRVT SPVR VEHQ HKPS	GLVPO KALSO HLFDV FDTFI RTTFV QHNPI VVVPD	GLVNI CQEVT VHSLE DSLSI VKQLK KLNKN YSSST	DRAIQRFLR' GNTCFMNSLE DDEVLDASCE QQSEITPKQE SIPAATWGHE LGKLPQCLCE PGPTLELQDO YLFRLMAVV' AYLLFYERVE	LQGLSAC LLDVLRN ITCRTRC PLTLDHC IHLQRLS GPGAPTI VHHGDM	CPAFII MYRWQI GSPHP' CLHHFI GWSSHO PVLNQI HSGHF	RWLEEI ISSFEI ISNHWI ISSESV GTPLKI PGAPKS	FTSQY: EQDAHI KSQHPI VRDVV(RHEHV(TQIFMI	SRDQKI ELFHVI FHGRLI CDNCTI QFNEFI NGACSI	EPPSI ITSSI ISNMV KIEAI LMMDI PSLLI	HQYLSI LEDERD VCKHCE KGTLNG IYKYHL PTLSAP	TL PRQ HQ EEK LG MP
_	•	•	Please indicate r other species			tigen co	orrespoi	nds to t	he		
Bleeds Tested In this Report (Please check ALL those that apply):											
		\checkmark	1 🗹 2	☑ 3 ⑤	☑ 4	□ 5	□ 6		7		





Standard Reporting Template

SUCCESSFUL APPLICATIONS:


<u>Instructions</u>: Please check each box below and indicate clearly all the applications that each bleed was tested in and if it was successful

	lmmı	ınoblot	Immuno	precipitation	Immunofluorescence		
•	Tested	Successful	Tested	Successful	Tested	Successful	
Bleed #1	✓						
Bleed #2	✓						
Bleed #3	✓	✓					
Bleed #4	✓	✓					
Bleed #5							
Bleed #6							
Bleed #7							

BEST Working Bleed:

3rd and 4th bleeds

Immunobloting results: (Luke Hutchinson)








Standard Reporting Template

1. Immunodetection of endogenous USP30. All four bleeds of the anti-USP30 antibody were tested for the immunodetection of endogenous USP30 in three different human cell lines (U2OS osteosarcoma cells, HeLa adenocarcinoma cells and HEK-293 embryonic kidney cells). Antibody bleeds 1 and 2 exhibit non-specific binding and do not appear to detect USP30. By contrast, antibody bleeds 3 and 4 appear to detect a band at the appropriate size (USP30 MW = 58.5 kDa) although they also detect non-specific proteins at approximately 75 kDa and 100 kDa.







Standard Reporting Template

2. Validation of anti-USP30 antibody bleeds using siRNA-mediated depletion of USP30 protein level. Three different human cell lines, U2OS osteosarcoma cells, HeLa adenocarcinoma cells and HEK-293 embryonic kidney cells were transfected with either non-targeting siRNA or USP30 siRNA for 48-hours at a concentration of 40 nM. Antibody bleeds 1 and 2 exhibit non-specific binding, whereas bleeds 3 and 4 detect a prominent band at approximately 58 kDa that is reduced in USP30 siRNA samples.

PUBLICATIONS: Please identify all publications to-date that include data supporting the successful use of the antibody

- 1. Name, et al, Year, Title, Journal
 - PMID (mandatory)
- 2. Name, et al. (submitted)





Standard Reporting Template

SUGGESTED BEST PRACTICES FOR ANTIBODY TESTING

Minimal Dataset

- Overexpressed Protein
 - o Recombinant
 - Positive Control Recombinant protein loaded in a well
 - Negative Control Mutant recombinant protein
 - · Point mutation for phospho-site
 - Truncation mutant that does not contain epitope on antigen used for antibody generation
 - Transfected Cell Lines
 - Positive Control
 - Cell line transfected with construct containing epitope of interest
 - Cell line treated with appropriate compound to illustrate presence of epitope
 - · Recombinant protein loaded in a well
 - Negative Control
 - Untransfected cell line (that does not contain protein of interest)
 - Cell line transfected with mutant protein
 - Point mutation for phospho-site
 - Truncation mutant that does not contain epitope on antigen used for antibody generation

Additional Data (Ideal)

- Endogenous Protein
 - o Cell Lines
 - Positive Control
 - Cell line that endogenously expresses protein
 - Recombinant protein loaded in a well
 - Negative Control
 - Knockout cell line
 - Knockdown of target
 - Genetic
 - Pharmacologic
 - Tissue Homogenate (from relevant source)
 - Positive Control Tissue source that endogenously expresses protein of interest
 - Negative Control Same tissue source derived from knockout animal





Standard Reporting Template

IMMUNOBLOT -- DATA

Please include ALL data that illustrates the utility of this antibody:

- All bleeds
- All applications tested:
 - o Immunoblot
 - o Immunoprecipitation
 - o Immunofluorescence

Please ensure that the the following data is included in your figure:

- Positive control
- Negative control

IMMUNOBLOT -- ASSOCIATED FIGURE LEGENDS

Please include ALL text that describes the utility of this antibody for the associated data above:

- All bleeds
- All applications tested:
 - o Immunoblot
 - Immunoprecipitation
 - o Immunofluorescence

Please ensure that the following data is included in your description:

- Positive control
- Negative control

IMMUNOBLOT -- EXPERIMENTAL DESIGN

Please include ALL text that describes the utility of this antibody for the associated data above:

- All bleeds
- All applications tested:
 - o Immunoblot
 - Immunoprecipitation
 - o Immunofluorescence

Please ensure that the following data is included in your description:

- Positive control
- Negative control





Standard Reporting Template

IMMUNOPRECIPITATION -- DATA

Please include ALL data that illustrates the utility of this antibody:

- All bleeds
- All applications tested:
 - o Immunoblot
 - o Immunoprecipitation
 - o Immunofluorescence

Please ensure that the the following data is included in your figure:

- Positive control
- Negative control

IMMUNOPRECIPITATION -- ASSOCIATED FIGURE LEGENDS

Please include ALL text that describes the utility of this antibody for the associated data above:

- All bleeds
- All applications tested:
 - o Immunoblot
 - Immunoprecipitation
 - o Immunofluorescence

Please ensure that the following data is included in your description:

- Positive control
- Negative control

IMMUNOPRECIPITATION -- EXPERIMENTAL DESIGN

Please include ALL text that describes the utility of this antibody for the associated data above:

- All bleeds
- All applications tested:
 - o Immunoblot
 - o Immunoprecipitation
 - o Immunofluorescence

Please ensure that the the following data is included in your description:

- Positive control
- Negative control





Standard Reporting Template

IMMUNOFLUORESCENCE -- DATA

Please include ALL data that illustrates the utility of this antibody:

- All bleeds
- All applications tested:
 - o Immunoblot
 - o Immunoprecipitation
 - o Immunofluorescence

Please ensure that the the following data is included in your figure:

- Positive control
- Negative control

IMMUNOFLUORESCENCE -- ASSOCIATED FIGURE LEGENDS

Please include ALL text that describes the utility of this antibody for the associated data above:

- All bleeds
- All applications tested:
 - o Immunoblot
 - Immunoprecipitation
 - o Immunofluorescence

Please ensure that the following data is included in your description:

- Positive control
- Negative control

IMMUNOFLUORESCENCE -- EXPERIMENTAL DESIGN

Please include ALL text that describes the utility of this antibody for the associated data above:

- All bleeds
- All applications tested:
 - o Immunoblot
 - o Immunoprecipitation
 - o Immunofluorescence

Please ensure that the the following data is included in your description:

- Positive control
- Negative control





Standard Reporting Template