

Division of Signal Transduction Therapy

Standard Operating Procedure

Preparation of active MARK2 [2 - 691]

<u>Enzyme description:-</u>	MARK2 [2 – 691]
<u>Clone number:-</u>	DU 1269
<u>Source:-</u>	Recombinant
<u>Expression system:-</u>	Baculovirus expression vector system
<u>Tag:-</u>	N-terminal His(6) tag
<u>Purification method:-</u>	Ni ²⁺ -NTA agarose
<u>Expression level:-</u>	1 mg/L
<u>Calculated molecular mass:-</u>	81, 780 daltons
<u>Purity:-</u>	75 %
<u>Activation protocol:-</u>	Constitutively active
<u>Enzyme storage buffer:-</u>	50 mM Tris-HCl pH 7.5, 270 mM sucrose, 150 mM NaCl, 0.1 mM EGTA, 0.1 % 2-mercaptoethanol, 0.02 % Brij-35, 0.2 mM PMSF, 1 mM Benzamidine.
<u>Storage temperature:-</u>	-70 °C [Long term stability to be determined]
<u>Assay:-</u>	Standard filter binding assay
<u>Assay Buffer:-</u>	50 mM Tris-HCl pH 7.5, 0.1mM EGTA, 0.1 % 2-mercaptoethanol, 10 mM MgAc
<u>Substrate:-</u>	AMARA peptide [AMARAASAAALARRR] Final concentration: 300 µM
<u>Specific activity range:-</u>	To be determined

Division of Signal Transduction Therapy

Clone Data Sheet

MARK2 [2 - 691]

<u>Protein</u>	MARK2 [2 – 691]
<u>Clone Number</u>	DU 1269
<u>Species</u>	Human
<u>Accession number</u>	NM_004954
<u>Tags</u>	N-terminal His(6)
<u>Baculovirus expressed protein</u>	MSYYHHHHHHHDYDIPTTENLYFQGAMGIRNSKAYVDIRGRNSATSAD EQ PHIGNYRLLKTIGKGNFAKVKLARHILTGKEVAVKIIDKTQLNSSSLQK LFREVRIMKVLNHPNIVKLFEVIETEKTLYLVMYASGGGEVFDYLVAHG RMKEKEARAKFRQIVSAVQYCHQKFIVHRDLKAENLLDADMNIKIADF GFSNEFTFGNKLDTCGSPPYAAPELFQGKKYDGPEVDVWSLGVILYTL VSGSLPFDGQNLKELRERVLRGKYRIPFYMSTDCENLLKKFLILNPSKR GTLEQIMKDRWMNVGHEDDELKPYVEPLPDYKDPRTLMVSMGYTREE IQDSLVGQRYNEVMATYLLLGYKSSELEGDTITLKPRPSADLTNSSAPS PSHKVQRSVSANPKQRRFSDQAGPAIPTSNSYSKKTQSNNAENKRPEED RESGRKASSTAKVPASPLPGLERKKTTPSTNSVLSTSTNRSRNSPLL ERASLGQASIQNGKDSTAPQRPVVASPSAHNISSSGGAPDRTNFPRGVS SRSTFHAGQLRQVRDQQNLPYGVTPASPSGHSQGRRGASGSIFSFTSK FVRRNLNEPESKDRVETLRPHVVGSGGNDKEKEEFREAKPRSLRFTWSM KTTSSMEPNEMMREIRKVLNANSCQSELHEKYMLLCMHGTPGHEDFVQW EMEVCKLPRLSLNGVRFRKISGTSMFAFKNIASKIANELKL
<u>Native sequence</u>	Amino acids I2 – L691 (end) of human MARK2. Residue I37 of fusion protein is equivalent to I2 of the native enzyme. The His(6) tag is located at residues 5 – 10.
<u>Protease cleavage</u>	rTEV (ENLYFQG) residues 18 - 24
<u>Cloning sites</u>	Sal1 site of pFastBAC HTc

Division of Signal Transduction Therapy

Nucleotide sequence of insert

gtcgacATTTCGGGGCCGCAACTCAGCCACCTCTGCTGATGAGCAGCCCC
ACATTGGAAACTACCGGCTCCTCAAGACCATTGGCAAGGGTAATTTTGC
CAAGGTGAAGTTGGCCCGACACATCCTGACTGGGAAAGAGGTAGCTGTG
AAGATCATTGACAAGACTCAACTGAACTCCTCCAGCCTCCAGAACTAT
TCCGCGAAGTAAGAATAATGAAGTTTTTGAATCATCCCAACATAGTTAA
ATTATTTGAAGTGATTGAGACTGAGAAAACGCTCTACCTTGTGTCATGGAG
TACGCTAGTGGCGGAGAGGTATTTGATTACCTAGTGGCTCATGGCAGGA
TGAAAGAAAAAGAGGCTCGAGCCAAATTCCGCCAGATAGTGTCTGCTGT
GCAGTACTGTCAACCAGAAGTTTATTGTCCATAGAGACTTAAAGGCAGAA
AACCTGCTCTTGGATGCTGATATGAACATCAAGATTGCAGACTTTGGCT
TCAGCAATGAATTCACCTTTGGGAACAAGCTGGACACCTTCTGTGGCAG
TCCCCCTTATGCTGCCCCAGAACTCTTCCAGGGCAAAAAATATGATGGA
CCCGAGGTGGATGTGTGGAGCCTAGGAGTTATCCTCTATACACTGGTCA
GCGGATCCCTGCCTTTTGATGGACAGAACCTCAAGGAGCTGCGGGAACG
GGTACTGAGGGGGAAATACCGTATTCCATTCTACATGTCCACGGACTGT
GAAAACCTGCTTAAGAAATTTCTCATTCTTAATCCCAGCAAGAGAGGCA
CTTTAGAGCAAATCATGAAAGATCGATGGATGAATGTGGGTACGAAGA
TGATGAACTAAAGCCTTACGTGGAGCCACTCCCTGACTACAAGGACCCC
CGGCGGACAGAGCTGATGGTGTCCATGGGTTATACACGGGAAGAGATCC
AGGACTCGCTGGTGGGCCAGAGATACAACGAGGTGATGGCCACCTATCT
GCTCCTGGGCTACAAGAGCTCCGAGCTGGAAGGCGACACCATCACCTG
AAACCCCGGCCTTCAGCTGATCTGACCAATAGCAGCGCCCCATCCCCAT
CCCACAAGGTACAGCGCAGCGTGTGCGCCAATCCCAAGCAGCGGCGCTT
CAGCGACCAGGCTGGTCTGCCATTCCCACCTCTAATTCTTACTCTAAG
AAGACTCAGAGTAACAACGCAGAAAATAAGCGGCCTGAGGAGGACCGGG
AGTCAGGGCGGAAAGCCAGCAGCACAGCCAAGGTGCCTGCCAGCCCCCT
GCCCCGTCTGGAGAGGAAGAAGACCACCCCAACCCCTCCACGAACAGC
GTCCTCTCCACCAGCACAAATCGAAGCAGGAATTCCCCACTTTTGGAGC
GGGCCAGCCTCGGCCAGGCCTCCATCCAGAATGGCAAAGACAGCACAGC
CCCCAGCGTGTCCCTGTTGCCTCCCCATCCGCCACAACATCAGCAGC
AGTGGTGGAGCCCCAGACCGAACTAACTTCCCCCGGGGTGTGTCCAGCC
GAAGCACCTTCCATGCTGGGCAGCTCCGACAGGTGCGGGACCAGCAGAA
TTTGCCCTACGGTGTGACCCAGCCTCTCCCTCTGGCCACAGCCAGGGC
CGGCGGGGGCCTCTGGGAGCATCTTCAGCAAGTTCACCTCCAAGTTTG
TACGCAGGAACCTGAATGAACCTGAAAGCAAAGACCGAGTGGAGACGCT
CAGACCTCACGTGGTGGGCAGTGGCGGCAACGACAAAGAAAAGGAAGAA
TTTCGGGAGGCCAAGCCCCGCTCCCTCCGCTTCACGTGGAGTATGAAGA
CCACGAGCTCCATGGAGCCCAACGAGATGATGCGGGAGATCCGCAAGGT
GCTGGACGCGAACAGCTGCCAGAGCGAGCTGCATGAGAAGTACATGCTG
CTGTGCATGCACGGCACGCCGGGCCACGAGGACTTCGTGCAGTGGGAGA
TGGAGGTGTGCAAACCTGCCGCGGCTCTCTCTCAACGGGGTTTCGATTTAA
GCGGATATCGGGCACCTCCATGGCCTTCAAAAACATTGCCTCCAAAATA
GCCAACGAGCTGAAGCTTTaagtcgac